# OPERATION OF A LONG CONDUCTION TIME ELECTRON-BEAM CONTROLLED SWITCH+

V.E. Scherrer, J. Burton\*, R.J. Commisso, R.F. Fernsler and I.M. Vitkovitsky

Naval Research Laboratory

Washington, DC 20375-5000

#### Abstract

The use of an electron beam to control the conductivity of a high pressure diffuse gas discharge has potential application as a high power repetitive opening and closing switch. For some opening switch applications, the electron-beam controlled switch (EBCS) must conduct with small losses for the time it takes to energize an inductor, usually  $\geq 1~\mu s$ . In this paper we report on the construction of a beam generator capable of 300 kV, 1 kA (average) electron beam from a cold cathode for pulse lengths that can be varied from 0.5 - 5  $\mu s$ . This generator is used to provide the electron beam for driving an electron beam controlled switch in the  $\sim 1~\mu s$  conduction time regime. Initial results obtained with the switch system will be discussed.

#### Introduction

There is an interest in the application of externally controlled, high pressure, volume discharges to high power switching. The applications of particular importance involve opening switches for both single and repetitively pulsed, high power, inductive generators. Such discharges have great potential for these applications because they can recover rapidly to the original highly resistive state of the gas once the external ionizing agent is removed.

Several authors<sup>2-9</sup> have reported on experiments and theoretical investigations in which an electron beam (e-beam) is used as the external agent to sustain the diffuse discharge. In these experiments the accelerated e-beam is injected into a chamber filled with a non-attaching base gas at 1-10 atm pressure along with a small admixture ( $\sim$  1%) of an attaching gas. The gas resistivity at any time is determined by a competition between ionization provided by the e-beam and the various recombination and attaching processes characteristic of the specific gas mixture, pressure, and applied electric This, along with the volume discharge property, allows the gas to return to its original nonconducting state very quickly once the source of ionization is removed. The particular advantages of this switching scheme are: 1) the intrinsic switching can be made very fast  $(\sim 1 \text{ ns})$ , 2) there is a potential for repetitive operation at  $\gtrsim 10 \text{ kHz}$ in a burst mode<sup>7</sup>; and 3) the switch inductance, mechanical shock, and electrode wear can be minimized because of the diffuse nature of the discharge.

## Description of the Experiment

A schematic representation of the demonstration model e-beam controlled switch is shown in figure 1. It consists of a pressurized chamber containing the test gas mixture between two 25-cm diameter switch electrodes. The switch anode consists of a 70% transmitting brass screen. The e-beam enters




Fig. 1 Schematic representation of the experiment.

the chamber through the anode plate of the e-beam diode drilled with 0.5-cm diameter holes such that the fraction of open area was 0.68. A  $5 \times 10^{-3}$ -cm thick (2 mil) mylar sheet sealed the switch-to-vacuum interface. The switch was filled with various test gas mixtures at pressures from 1 - 10 atm. When the e-beam was on, current flowed in the




Fig. 2 Schematic of the circuit.

circuit which contained the current source C and the inductive store L as illustrated in the equivalent circuit shown in Fig. 2.

where C is the capacitance of the capacitor used as the current source,  $I_{SW}$  is the switch current, L is the value of the storage inductance,  $V_{C}(0)$  is the initial voltage across the capacitance C and  $R_{SW}$  is

Report Documentation Page				Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302 Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number						
1. REPORT DATE		2. REPORT TYPE		3. DATES COVERED		
		N/A		5. DATES COVERED		
JUN 1985		IN/A		-		
4. TITLE AND SUBTITLE				5a. CONTRACT	NUMBER	
_	e Electron-Beam Co	ontrolled	5b. GRANT NUMBER			
Switch				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANI Naval Research La		8. PERFORMING ORGANIZATION REPORT NUMBER				
9. SPONSORING/MONITO	10. SPONSOR/MONITOR'S ACRONYM(S)					
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release, distribution unlimited						
13. SUPPLEMENTARY NOTES  See also ADM002371. 2013 IEEE Pulsed Power Conference, Digest of Technical Papers 1976-2013, and Abstracts of the 2013 IEEE International Conference on Plasma Science. Held in San Francisco, CA on 16-21 June 2013. U.S. Government or Federal Purpose Rights License.						
potential application applications, the el takes to energize an generator capable be varied from 0.5	on as a high power rectron-beam contron inductor, usually>of 300 kV, 1 kA (average). This generat	the conductivity of repetitive opening an alled switch (EBCS) 1 \JS. In this paper erage) electron bean for is used to provide tion time regime. In	nd closing switch. must conduct wit we report on the n from a cold cath e the electron bea	1 For some of the small losse construction hode for pulsum for driving	pening switch s for the time it n of a beam e 1 engths that can g an electron beam	
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON		
a REPORT unclassified	b ABSTRACT <b>unclassified</b>	c THIS PAGE unclassified	SAR	4	KLSI ONSIDLE FERSUN	

the EBCS transient resistance. Note that in Eq. (1) we have assumed  $I_{SW} \simeq I$ , where  $I = I_{SW} + I_b$  is the total current measured in the switch circuit. For all data shown here  $I_{SW} \simeq I$ . Also, in all cases the switch polarity is in such a direction as to accelerate the injected e-beam electrons. The first two terms in Eq.(1) represent the instantaneous voltage across the capacitor,  $V_C$ . The third term is the voltage across the switch is  $V_{SW} = I_{SW}R_{SW}$ . By making  $R_{SW}$  large very quickly, large negative values of  $dI_{SW}/dt$  can be obtained, leading to high voltage across the switch. Because we are using an open circuit as a load, the output voltage  $V_0 = V_{SW}$ . The diagnostics used included calibrated Rogowski coils, magnetic probes, and a calibrated voltage divider.

The e-beam controlled switch was designed in accordance with previously described procedures.  $^{1,8}$  The e-beam cathode consisted of a 30-cm diameter carbon felt surface which was shaped for almost uniform field emission. The A - K gap was variable from 0 - 20 cm. A 250 kV acceleration potential was maintained across the diode by a 6-stage Marx pulser. The e-beam pulse was terminated in time by a divert switch connected across the diode which it shorted when triggered. The e-beam decay time was measured to be  $\leq$  100 ns.




Fig. 3 Illustration of the EBOS system.

The physical arrangement of components for the electron beam controlled switch system is illustrated in Fig. 3. The six stage oil insulated Marx generator was arranged so that a switch column having a single trigger electrode could be used. UV radiation from the triggered switch illuminated the other 5 gaps and aided their breakdown. To further reduce the triggering jitter, a 100 kV pulse, which was equal to a factor of 5 overvoltage, was applied to the trigger electrode.

To convert the conventional Marx output to a pulse having an adjustable time duration and constant voltage, two additional switches were used. The first was an untriggered output switch which connected the Marx to the e-beam diode. It isolated the diode from the Marx during the period of slow voltage erection, then broke down at a preselected high voltage. This resulted in a fast rise (~ 100 ns) of the Marx output voltage. The second, called a divert switch, determined the time duration of the voltage pulse that was applied to the e-beam diode.

On command, after a pre-selected delay, the divert switch, which connected the Marx output to ground, was triggered. When conducting, it shorted the e-beam diode, cutting off the delivery of electrons to the e-beam controlled switch. The decay time for the Marx output voltage was measured to be  $\leq 100$  ns. To reduce the jitter of the pulse length to a negligible interval, a slight flow of high pressure  $N_2$  was maintained in the switch. Specific details of the entire system design can be found elsewhere.

#### Research Results

The gas mixture 1%  $C_2F_6$  -  $CH_4$  has been suggested 1 as having good qualities as a mixture for e-beam controlled switches, and has been chosen as a first gas to study in the e-beam controlled switch.




Fig. 4 Switch performance curves.

The graphs in figure 4 show the results of operating the demonstration model e-beam controlled switch, previously described, as a component of an inductive storage system. The switch, which had an area of 500 cm² and a length of 2 cm was filled with  $1\% \ C_2 F_6 + 99\% \ CH_4 \ (0.03\% \ impurity, by manufacturer's specification) at a pressure of 5 atm. The initial voltage on the energy storage capacitor was <math display="inline">V_C(0) = 26 \ kV$ .

The e-beam current  $I_b$ , plotted as a function of time in  $\mu$ s, reached a peak of 0.95 kA, then fell to zero in 80 ns, after the divert switch was closed. The switch conduction current  $I_{\rm SW}$  traced a curve proportional to  $I_b$ , but was larger by a factor of 10; it reached a peak value of 9.6 kA and fell rapidly when the divert switch closed. As  $I_{\rm SW}$  fell, an inductive voltage pulse equal to L  $dI_{\rm SW}/dt$  was generated. When these values and others were

ubstituted into Eq. 1, the voltage  $V_{SW}$  across the switch as a function of time was calculated.  $V_{SW}$  is also plotted in the figure. It shows a peak voltage of 280 kV and a FWHM of 60 ns.

The mechanisms involved in the opening phase of switch operation can be illustrated with the aid of curves presented in Fig. 5. The data are plotted on a slow time base in Fig. 5(a) to show the entire charging pulse and on an expanded time scale in Fig. 5(b) centered on the time of peak voltage generation across the switch. This "expanded view" better




Fig. 5(a) Slow time base.




Fig. 5(b) Expanded time scale centered on time of peak voltage. (n/Na obtained from Ref. 11)

Fig. 5 Illustration of switch opening.

phenomena. The expanded time interval is indicated in the figure.

As data on the slow scale in Fig. 5(a) indicates, during the time of current increase from zero to maximum at 730 ns, E/P rises slowly from 0.4 to 1.0 V/cm-torr. This is a favorable range of E/P for the mixer gas  $\text{CH}_{4}$  and it results in the normalized electron mobility remaining high during this period, which is desirable.

As indicated on the expanded time scale in Fig. 5(b), when the divert switch closes, causing e-beam current, and therefore the switch current  $I_{\rm SW}$  to

fall, E/P increases rapidly. When E/P is in the range of 1-3 V/cm-torr, while time varies from 730 to 740 ns,the normalized electron mobility  $^{12}$  for CH<sub>4</sub> falls rapidly from  $3.5 \times 10^{23}$  to  $0.8 \times 10^{+23}$ 

(cm-s-V) $^{-1}$ . During this period, the normalized attachment coefficient n /N $_{\rm a}$  for the gas mixture $^{12}$  1%C $_2$ F $_6$  - CH $_4$  changes from  $\sim$  0 to 0.2X10 $^{-17}$ cm $^2$ , a relatively small amount. But as the switch current I $_{\rm SW}$  continues to fall during the time interval between 740 and 754 ns and E/P increases above 3 V/cm-torr, the attachment coefficient n/Na rises rapidly by a factor of  $\sim$  48 from 0.2X10 to

9.5X10<sup>-17</sup>cm². When n/N was at its maximum value E/P was ~ 14. The collective effect of the decline in  $\mu N$ , and the increase in n/N is to make the current fall-time shorter and therefore, increase the output voltage  $V_0 \propto L \Delta I_{SW}/\Delta t$ . Note that higher voltage makes n/N larger, which in turn leads to higher voltage. This example is only an illustration of switch performance that results from the mixture of one attaching gas  $C_2F_6$ , with the non-attaching gas  $C_4$ . It is likely that switch operation could be tailored to match a desired performance specification by varying the gas mixture and the operating conditions. Thus one might optimize output voltage, output current, current gain, switch resistance, etc., for a given application.

### Conclusions

We have demonstrated that an electron-beam controlled diffuse discharge can be successfully employed as the opening switch in a high-power, inductive store system. In the present system an output voltage pulse of 280 kV and 60 ns duration was generated after charging an inductor to 10 kA in  $\sim$  1  $\mu s$ . This performance was obtained using an e-beam current of 1 kA injected into a gas mixture of 1%  $C_2F_6$  + 99%  $CH_4$ .

Although switch performance was both predictable and reproducible, limited resources prevented us from optimizing this performance. Considerable improvement in performance could be obtained by careful selection of the circuit parameters and gas mixture and by reducing the e-beam turn-off time to below 100 ns.

## <u>Acknowledgements</u>

The authors wish to thank H. Hall and J. M. Cameron for their expert technical support.

t Work supported by Naval Sea Systems Command\* Sachs Freeman Associates, Bowie, MD 20715

### References

- R.J. Commisso, R.F. Fernsler, V.E. Scherrer and I.M. Vitkovitsky, Rev. Sci. Instrum. <u>55</u>, 1834 (1984); and references therein.
- V.E. Scherrer, R.J. Commisso, R.F. Fernsler and I.M. Vitkovitsky, "Gaseous Dielectrics IV," L.G. Christophorou and M.O. Pace, Eds., Pergamon Press, NY (1984), p. 238; K. Schoenbach, G. Schaefer, M. Kristiansen, H.

- Kromphotz, H. Harjes and D. Skaggs, ibid, p.
- 3. G. Schaefer, K.H. Schoenbach, H. Krompholz and M. Kristiansen, Laser and Particle Beams 2, 273 (1984).
- 4. R.J. Commisso, R.F. Fernsler, V.E. Scherrer and I.M. Vitkovitsky, IEEE Trans. Plasma Sci. PS-
- 10, 241 (1982); and references therein.

  5. S.E. Kline, IEEE Trans. Plasma Sci. PS-10, 224 (1982).
- 6. M.R. Hallada, P. Bletzinger and W.F. Bailey, IEEE Trans. Plasma Sci. <u>PS-10</u>, 218 (1982).
- R.F. Fernsler, D. Conte and I.M. Vitkovitsky,
- IEEE Trans. Plasma Sci. <u>PS-8</u>, 176 (1980). 8. R.J. Commisso, R.F. Fernsler, V.E. Scherrer and I.M. Vitkovitsky, Proceedings of the 4th IEEE Pulsed Power Conference, Albuquerque, NM (1983), IEEE Cat. No. 83CH1908-3, p. 76.
- 9. J.F. Lowry, L.E. Kline and J.V.R. Heberlein, Proceedings of the 4th IEEE Pulsed Power Conference, Albuquerque, NM (1983), IEEE Cat. No. 83CH1908-3, p. 94; P. Bletzinger, ibid., p. 37.
- 10. J.K. Burton, R.J. Commisso, R.F. Fernsler, V.E. Scherrer and I.M. Vitkovitsky, NRL Memo. Rept. to be published (1985).
- 11. Christophorou (Private Communication)
  12. W.J. Pollock, (Faraday Soc. 64), 2919 (1968).